JP63058553

PN - JP63058553 A 19880314
PD - 1988-03-14
PR - JP19860201532 19860829
OPD - 1986-08-29
TI - DISPLAY SYSTEM FOR ERROR COUNTERMEASURE OF ELECTRONIC COMPUTER SYSTEM
IN - TANAKA SHIRO
PA - TOKYO SHIBAURA ELECTRIC CO
IC - G06F11/32

PN - JP63058553 A 19880314
PD - 1988-03-14
AP - JP19860201532 19860829
IN - TANAKA SHIRO
PA - TOSHIBA CORP
TI - DISPLAY SYSTEM FOR ERROR COUNTERMEASURE OF ELECTRONIC COMPUTER SYSTEM
AB - PURPOSE:To perform the quick processing with a simple operation by providing a message file into a memory device to store the identification code of an error, the corresponding message number and a message text respectively.
- CONSTITUTION:With input of an error identification code produced from a display device 1, a code processing means 3 extracts a factor code corresponding to said identification code out of a code combination table 6 of a memory device 5. Then the corresponding factor message sentence is taken out of a factor message table 7. At this time, a countermeasure code for recovering error is also taken out. Then a countermeasure message sentence is taken out of a countermeasure message table 8. These extracted factor and countermeasure message sentence are displayed on the device 1 or a printer 2 via a message output means 4. With input of plural error identification codes, an error factor common with each error is detected through the table 6 and therefore an optimum factor countermeasure message sentence is selected and delivered.
I - G06F11/32

BEST AVAILABLE COP

PAGE 4/5 * RCVD AT 11/23/2004 1:48:42 PM [Eastern Standard Time] * SVR:USPTO-EFXRF-1/5 * DNIS:8729306 * CSID:208 396 3958 * DURATION (mm-ss):01-56

においても同様な効果が得られる。

〔発明の効果〕

以上説明した如く、本発明によれば、発生したエラーの識別コードを入力するだけの簡単な操作で、エラーに対する原因と対策を出力表示することが可能である。

4、図面の簡単な説明

第1図は本発明の一実施例を示す構成図、第2図は動作説明のフローチャートである。

1…表示装置　2…印字装置

3…コード処理手段　4…メッセージ出力手段

5…記憶装置

6…コード組合せテーブル

7…原因メッセージテーブル

8…対策メッセージテーブル



第1図

代理人　弁理士　則近　憲佑

同　三俣　弘文



第2図

PAGE 5/5 * RCVD AT 11/23/2004 1:48:42 PM [Eastern Standard Time] * SVR:USPTO-EFXRF-1/5 * DNIS:8729306 * CSID:208 396 3958 * DURATION (mm-ss):01-56 P.05

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☒ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☒ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.
As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.